

DANGEROUS POISON
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

SELONTRA[®] SOFT BAIT

RODENTICIDE

ACTIVE CONSTITUENT: 0.75 g/kg COLECALCIFEROL

HIGHLY PALATABLE, READY TO USE SOFT BAIT
– KILLS RATS AND MICE RESISTANT TO ANTICOAGULANTS

For the control of rats and mice along perimeter fence lines and in and around industrial, commercial, agricultural and domestic buildings.

Controls rats and mice resistant to anticoagulants.

This product must only be used within lockable tamper resistant bait stations.

CONTENTS: 500g, 800g, 1kg, 1.5kg, 2 kg, 2.5kg, 3kg, 3.5kg, 4kg, 4.5kg, 5kg, 6kg, 7kg, 8kg, 9kg, 10kg

BASF Australia Ltd ABN 62 008 437 867
Level 12, 28 Freshwater Place Southbank VICTORIA 3006

Website: www.pestcontrol.basf.com.au

© BASF, 2017[®] = Registered trademark of BASF

APVMA Approval No.: 81767 / 104019

GENERAL INFORMATION

SELONTRA Soft Bait can be used both indoors, outdoors and along fence lines, including perimeter fence lines. Rats and mice that are resistant to anticoagulants are controlled and no prebaiting is required. A lethal dose is readily consumed in a single feed but death may not occur for up to four days. DO NOT allow bait to contaminate food stuffs or food intended for human or animal consumption.

DIRECTIONS FOR USE

RESTRAINTS

DO NOT exceed 3 m between bait stations for mice, or 9 m for rats on initial application.

DO NOT place baits in the open – Baits must only be used within lockable tamper resistant bait stations.

DO NOT use this product for the control of native rodents or other native animals.

| SITUATION | PEST | RATE | CRITICAL COMMENTS |
|--|---|--|--|
| In and around domestic homes, industrial, commercial and agricultural buildings, animal houses, farms, wharves, public service buildings, hospitals, food processing facilities, abattoirs, transport vehicles (including ships), around grain terminals, storage areas and fence lines (including perimeter fence lines). | Rats – <i>Rattus rattus</i> also known as Black rat, Roof, rat, Ship rat or, Fruit rat and <i>Rattus norvegicus</i> also known as the Brown rat or Norway rat | 3 - 9 SELONTRA Soft baits per bait station | <p>Eliminate as far as practicable all alternative food sources. Select suitable bait locations, such as along rat runs or areas exhibiting signs of infestation. Try to establish a barrier of bait locations between living and feeding areas. Secure 3 - 9 SELONTRA Soft Baits at each bait location. SELONTRA Soft Baits must be secured within lockable tamper resistant bait stations (eg. ROGUARD® Xtra Rat Stations).</p> <p>On initial application, an inspection of bait locations after 3 days may be undertaken to determine activity in bait locations and new locations may be selected if necessary. A subsequent inspection may also be undertaken again after 4 days to replace any soft baits which have been eaten.</p> <p>For severe infestations it is recommended that repeat inspections of all bait locations is conducted at 7 day intervals, replacing fresh Soft Baits only when Soft Baits have been eaten and until all signs of rat activity have disappeared.</p> |
| | Mice – <i>Mus musculus</i> also known as the House mouse | 1 - 2 SELONTRA Soft Baits per bait station | <p>Mice have very limited home ranges and do not need to drink. They are more difficult to control than rats because their feeding patterns are more erratic. Selection of bait locations is therefore even more important than for rats.</p> <p>Secure 1-2 SELONTRA Soft Baits within tamper resistant bait stations (eg. ROGUARD® Mouse Stations) 2-3 metres apart. Bait locations should be in areas where activity is obvious, particularly where droppings are seen. Inspect bait locations and replace SELONTRA Soft Baits as for rats until all signs of mouse activity have disappeared.</p> |

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

SELONTRA Soft Baits must only be placed in areas frequented by the target pests. SELONTRA Soft Baits must be secured in lockable tamper resistant bait stations, such as ROGUARD® Xtra Rat or ROGUARD® Mouse Stations. DO NOT place baits in areas accessible to domestic animals, children, pets and wildlife. DO NOT place baits in areas liable to flooding. Alternative food sources should be removed or reduced as much as possible.

PRECAUTIONS

This product is to be utilised by placement within lockable tamper resistant bait stations. DO NOT place baits in areas accessible to children and pets.

PROTECTION OF LIVESTOCK, WILDLIFE, FISH, CRUSTACEANS AND OTHERS

This bait is hazardous to pigs, cats, dogs, poultry, birds and wildlife. DO NOT place baits in locations which are accessible to other animals or birds. DO NOT contaminate ponds, streams, rivers or waterways with the bait or its used containers. The use of this product for the control of protected native rodents requires permission from wildlife authorities.

STORAGE AND DISPOSAL

Store in the closed original container in a safe place. Containers which have held bait should not be used for any other purpose. Pest Control Operators should dispose of empty containers, used bait stations and unused or untaken bait by burying in an approved dump. In a domestic situation, minimise the presence of excess baits. Where unused baits are in good condition, return to original container for reuse. For empty containers, damaged or unwanted baits, wrap securely and dispose of in household refuse bin. Look for dead rats or mice and burn or bury them. DO NOT place dead rats or mice in refuse bins or rubbish tips. Ensure baits are removed when rodent activity has ceased

SAFETY DIRECTIONS

Wash hands after use.

FIRST AID

If poisoning occurs, get to a doctor or hospital quickly. Colecalciferol in rodent baits.

SDS

Additional information is listed in the Safety Data Sheet available from your supplier.

CONDITIONS OF SALE

All conditions and warranties rights and remedies implied by law or arising in contract or tort whether due to the negligence of BASF Australia Ltd ABN 62008437867 or otherwise are hereby expressly excluded so far as the same may legally be done provided however that any rights of the Buyer pursuant to non-excludable conditions or warranties of the Competition and Consumer Act 2010 or any relevant legislation of any State are expressly preserved but the liability of BASF Australia Ltd or any intermediate Seller pursuant thereto shall be limited if so permitted by the said legislation to the replacement of the goods sold or the supply of equivalent goods and all liability for indirect or consequential loss or damage of whatsoever nature is expressly excluded. This product must be used or applied strictly in accordance with the instructions appearing hereon. This product is solely sold for use in Australia and must not be exported without the prior written consent of BASF Australia Ltd.

This product does not require a hazard warning label in accordance with GHS criteria

Batch No:

Date of Manufacture:

BASF Australia Ltd
ABN 62 008 437 867
Level 12, 28 Freshwater Place
Southbank VICTORIA 3006

FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY PHONE 1800 803 440 TOLL FREE-ALL HOURS-AUSTRALIA WIDE.